Volume 46 • 2004

INTERNATIONAL JOURNAL OF GEOSCIENCES

Environmental Geology

Editors

PHILIP E. LAMOREAUX
Editor-in-Chief

ANN MCCORLEY
Assistant Editor

GUNTER DÖRHÖFER
Editor for Europe

SIGRID DÖRHÖFER
Assistant Editor for Europe

Editorial board

ROBERT C. AHLERT
ROBERT ALDWELL
DONALD JOE BENSON
PAOLO BONO
ANDREAS DAHMKE
YUAN DAOXIAN
JAN DOWGIALLO
DAVID DREW
DAYLE EASLEY
LEE C. GERHARD
JOHN C. GOSSE
THOMAS GREEN
GRANT GROSS
JOHN GUNN
LARS HAKANSON
TRAVIS L. HUDSON
HUSSEIN IDRIS
HILARY I. INYANG
KENNETH S. JOHNSON
URI KAFRI
DAVID M. KARGBO
VLADIMIR KOVALEVSKY
JAMES W. LAMOREAUX
BERND LOTTERMOSER
LUDWIG LUCKNER
GWENDOLYN L. MACPHERSON
NOPADON MANTAJIT
WILLIAM F. MARCUSON
PAUL MARINOS
JÖRG MATSCHULLAT
BASHIR A. MEMON
PETAR MILANOVIC
JOHN E. MOORE
ASAF PEKDEGER
LADISLAUS RYBACH
CHRISTOPH SCHÖTH
ED L. SCHRADER
HORST D. SCHULZ
S. FRED SINGER
DAVID STEPHENSON
STEPHEN H. STOW
JAN VLCKO
HUBERT WIGGERING
SOKI YAMAMOTO
WANFANG ZHOU

Abam TKS: Case histories of sand search in the Niger Delta 165
Acir O → Topal T
Acworth RI → Jorstad LB
Affuso AMG → Garzonio CA
Akashah T → Ibrahim KM
Al-Bataina B → Al-Taj M
Alexandri S → Lykousis V
Algan O, Balkıs N, Çağatay MN, Sarı E: The sources of metal contents in the shelf sediments from the Marmara Sea, Turkey 932
Algozzini G → Ercoli L
Al-Taj M, Al-Bataina B, Atallah M: Evaluation of geodynamic activity of the Dead Sea transform fault by radon gas concentrations 574
Amin AA: The extent of desertification on Saudi Arabia 22
Archambault M → Benzaazoua M
Ashley PM, Lottermoser BG, Collins AJ, Grant CD: Environmental geochemistry of the derelict Webbs Consols mine, New South Wales, Australia 591
Atallah M → Al-Taj M
Atkinson J → Labare MP

Babayev AM, Ibragimova IS: Structural-tectonic features of accommodation deposits of mineral waters of Azerbaijan and their complex development 680
Bachu S → Gasda SE
Balkıs N → Algan O
Balderer, Synal HA, Deak J: Application of the chlorine-36 method for the delineation of groundwater infiltration of large river systems: example of the Danube River in western Hungary (Szigetköz area) 755
Ballas D → Lykousis V
Ballesta M → Morales JA
Baptista-Neto JA → Smith BJ
Benzaazoua M, Bussiére B, Dagenais A-M, Archambault M: Kinetic tests comparison and interpretation for prediction of the Joutel tailings acid generation potential 1086
Bin W → Keqiang H
Blandin J → Marinaro G
Boles JR → Leifer I
Boothroyd JC → Boving TB
Borrego J → Morales JA
Bossert J, Ožbolt J, Grassegger G: Finite-element modelling of the conservation effects of an artificial resin on deteriorated heterogeneous sandstone in building restoration 323
Boving TB, Meritt DL, Boothroyd JC: Fingerprinting sources of bacterial input into small residential watersheds: fate of fluorescent whitening agents 228
Butkus MA → Labare M
Bugai D → Matoshko A
Bussière B → Benzaazoua M

Çağatay MN → Algan O
Carroll S, Goonetilleke A, Dawes L: Framework for soil suitability evaluation for sewage effluent renovation 195
Cai M → Xie M
Calaforra JM → Pulido-Bosch A
Calore D → Marinaro G
Candela L → Rodríguez R
Cao WB → Zhou X
Casas D → Lykousis V
Castro-Almazan JA → Viñas R
Celia MA → Gasda SE
Celico F, Musilli I, Naclerio G: The impacts of pasture- and manure-spreading on microbial groundwater quality in carbonate aquifers 233
Cenedese S → Marinaro G
Chen C-H → Yang TF
Chen P → Wu Q
Chen Z → Yang M
Chen C-S → Jeng Y
Chiavari G → Schiavon N
Cho MJ → Kim K
Chon C-M → Kim JG
Chung H → Oh S
Chung SY → Shim BO
Clark JF → Leifer I
Cnudde V, Jacobs PJS: Monitoring of weathering and conservation of building materials through non-destructive X-ray computed microtomography 477
Cnudde V → Masschaele B
Coello J → Viñas R
Collins AJ → Ashley PM
Curran JM → Smith BJ
Custodio E → Hernández-García ME

Dagenais A-M → Benzaazoua M
Dahlmann A → Lykousis V
Dahmke A → Dethlefsen F
Daniele L: Distribution of arsenic and other minor trace elements in the groundwater of Ischia Island (southern Italy) 96
Daniels WL → Orndorff ZW
Dassargues A → Peeters L
Dawes L → Goonetilleke A
de Lange G → Lykousis V
de la Nuez J → Viñas R
Dea KJ → Balderer W
Delisle G: The mud volcanoes of Pakistan 1024
Dethlefsen F, Meckenstock R, Veehmayer MK, Dahmke A: Determination of bioavailable Fe(III) content in column experiments with the reactive tracer phosphate 896
Dewiere L → Bugai D
Dierick M → Masschaele B
Dowgiałło J: Therapeutic waters in the Polish geological and mining law 643
Dunyun Z → Keqiang H

Eff-Darwich A → Viñas R
Eiswirth M, Wolf L, Hötzl H: Balancing the contaminant input into urban water resources 246
El Mahmouhi N → Ettazarini S
Elango L → Rajmohan N
El-Nakhal HA: Alternatives to tap water: a case study of the Gaza Strip, Palestine 851
Ercoli L, Rizzo G, Algozzini G: Petrography and decay of a marly limestone in the cloister of a medieval cathedral in Sicily 414
Erima G → Ngecu WM
Esaki T → Xie M
Etiope G, Favali GE: Geologic Emissions of Methane from lands and seafloor: mud volcanoes and observing systems 987
Etiope G, Milkov AV: A new estimate of global methane flux from onshore and shallow submarine mud volcanoes to the atmosphere 997
Ettazarini S, El Mahmouhi N: Vulnerability mapping of the Turonian limestone aquifer in the Phosphates Plateau (Morocco) 113

Fabbri D → Schiavon N
Fang B → Zhou X
Favali GE → Etiope G
Feng WD → Zhou X
Feru A: Bottled natural mineral waters in Romania 670

Fitzner B, Heinrichs K, Bouchardiere D: The Bangudae Petroglyph in Ulsan, Korea: studies on weathering damage and risk prognosis 504
Flies C → Kemmling A
Flies C → Hoppert M
Franzen C, Mirwald PW: Moisture content of natural stone: static and dynamic equilibrium with atmospheric humidity 391
Frihy O, Lawrence D: Evolution of the modern Nile delta promontories: development of accretional features during shoreline retreat 914
Frischkorn H → Mendonça LAR
Fu C-C → Yang TF
Furlan F → Marinaro G

Gao Y → Ling W
Garcia ML, Masson M: Environmental and geologic application of solid-state methane sensors 1059
García SG → Ramírez-Hernández J
Garzonio CA, Affuso AMG: Hydrogeological problems for the rehabilitation and re-utilisation of the water resources of the mining area of Gavorrano (Italy) 286
Gasda SE, Bachu S, Celia MA: Spatial characterization of the location of potentially leaky wells penetrating a deep saline aquifer in a mature sedimentary basin 707
Gasparoni F → Marinaro G
Gilbert R → Hyatt JA
Gonzalez IJ, Scherer GW: Effect of swelling inhibitors on the swelling and stress relaxation of clay bearing stones 364
Goonetilleeka A → Carroll S
Gowd SS: Electrical resistivity surveys to delineate groundwater potential aquifers in Peddavanka watershed, Anantapur District, Andhra Pradesh, India 118
Grant CD → Ashley PM
Grassegger G → Bossert J
Grischek T → Macheleidt W
Gutiérrez M, Neill H, Grand RV: Metals in sediments of springs and cave streams as environmental indicators in karst areas 1079
Guliyev IS → Huseynov DA
Günzl B → Hoppert M
Günzl B, Hoppert M: Mineralogical and colour changes of quartz sandstones by heat 436

Ha FS → Zhou X
Haerens B → Peeters L
Hajpál M, Török A: Mineralogical and colour changes of quartz sandstones by heat 311
Hancock GR: The use of landscape evolution models in mining rehabilitation design 561
Harris MA, Rengasamy P: Treatment of a potential soil capping for open-cut mines (Part 1): Influence of prior management on responses to a phyto-organic amendment 15
He J → Kargbo DM
Heinrichs K → Fitzner B
Herlitzius J → Macheleidt W
Hernández-García ME, Custodio E: Natural baseline quality of Madrid Tertiary Detrital Aquifer groundwater (Spain): a basis for aquifer management 173
Hoke GD, Turcotte DL: The weathering of stones due to dissolution 305
Hotzel H → Eiswirth M
Hoppert M, Flies C, Pohl W, Günzl B, Schneider J: Colonization strategies of lithobiontic microorganisms on carbonate rocks 421
Hoppert M → Kemmling A
Hoppert M → Günzl B
Hu FS → Zhou X
Huang JH → Liu XM
Huseynov DA, Guliyev IS: Mud volcanic natural phenomena in the South Caspian Basin: geology, fluid dynamics and environmental impact 1012
Hyatt JA, Gilbert R: Subbottom acoustic and sedimentary records of past surface water-groundwater exchange through sinkhole lakes in south Georgia, U.S.A 32
Hwang G-S → Kim K

Ibragimova IS → Babayev AM
Ibrahim KM, Akashah I: Lead removal from wastewater using faujasite tuff 865
Ioakim C → Lykousis V
Iseki T: A portable remote methane detector using an InGaAsP DFB laser 1064

Jacobs PJS → Cnudde V
Jacobs P → Masschaele B
Jankowski J → Jorstal LB
Jankowski J → Morgan K
Je C-H → Kim K-S
Jeannin Py → Perrin J
Je C-H, Kim K: Web-based application for estimating wate quality impacts due to environmental dreding 217
Jeng Y, Lin M-J, Chen C-S: A very low frequency-electromagnetic study of the geo-environmental hazardous areas in Taiwan 784
Jorstad LB, Jankowski J, Acworth RI: Analysis of the distribution of inorganic constituents in a landfill leachate-contaminated aquifer: Astrolabe Park, Sydney, Australia 263
Judd AG: Natural seabed gas seeps as sources of atmospheric methane 988

Kämper M → Kemmling A
Kaplay RD, Patode HS: Groundwater pollution due to industrial effluent at Tuppa, New Nanded, Maharashtra, India 871
Kargbo DM, He J: A simple accelerated rock weathering method to predict acid generation kinetics 775
Katz BG: Sources of nitrate contamination and age of water in large karstic springs of Florida 689
Kaul BL, Pandit MK: Morphotectonic evaluation of the Delhi region in northern India, and its significance in environmental management 1118
Kemmling A, Kämper M, Flies C, Schieweck O, Hoppert M: Biofilms and extracellular matrices on geomaterials 429
Kentli B, Topal T: Evaluation of rock excavatability and slope stability along a segment of motorway, Pozanti, Turkey 83
Keqiang H, Bin W, Dunyun Z: Mechanism and mechanical model of karst collapse in an over-pumping area 1102
Khilyuk LF, Chilingar GVK: Global warming and long-term climatic changes: a progress report 970
Kim HJ → Shim BO
Kim HJ → Kim K
Kim JG, Chon C-M, Lee J-S: Effect of structure and texture on infiltration flow pattern during flood irrigation 962
Kim K, Rajmohan N, Kim HJ, Hwang G-S, Cho MJ: Assessment of groundwater chemistry in a coastal region (Kunsan, Korea) having complex contaminant sources: a stoichiometric approach 763
Kim K-S, Je C-H: Phytoplankton estimation using plant primary production rates in streams 10
Kim K → Je C-H
Kirchner D → Weiss T
Koch A, Siegesmund S: The combined effect of moisture and temperature on the anomalous expansion behaviour of marble 350

Koch A → Scheffzuk C
Kostaschuk R → Yang M
Kralj P: Foreword to the Special Topic IAH-CMTW Congress Terme Olimia, Podcetrtek, Slovenia 615
Kralj P: Trace elements in medium-temperature (40–80 °C) thermal waters from the Mura basin (North-Eastern Slovenia) 622
Kralj P: Chemical composition of low temperature (<20–40 °C) thermal waters in Slovenia 635
Kunkel R → Wendland F

Labare MP, Butkus MA, Riegner D, Schommer N, Atkinson J: Evaluation of lead movement from the abiotic to biotic at a small-arms firing range 750
La Bouchardiere D → Fitzner B
Lambrakis N → Panagopoulos G
Lawrence D → Frihy O
Lee CH, Lee HK: Environmental impact and geochemistry of old tailing pile from the Sanggok mine creek, Republic of Korea 727
Lee DK → Oh S
Lee HF → Yang TF
Lee HK → Lee CH
Lee J-S → Kim JG
Lee J-Y → Lee KY
Lee KY, Lee J-Y, Mellett JJ: Transport of dissolved methoxy-nonafluorobutane through a saturated column 883
Legovic T → Mikulic N
Leifer I, Boles JR, Luyendyk BP, Clark JF: Transient discharges from marine hydrocarbon seeps: spatial and temporal variability 1038
Lin M-J → Jeng Y
Ling W, Gao Y: Promoted dissipation of phenanthrene and pyrene in soils by amaranth (*Amaranthus tricolor* L.) 553
Liu XM, Xu JM, Zhang MK, Huang JH, Shi JC, Yu XF: Application of geostatistics and GIS technique to characterize spatial variabilities of bioavailable micronutrients in paddy soils 189
Logan JM: Laboratory and case studies of thermal cycling and stored strain on the stability of selected marbles 456
Lottermoser BG → Ashley PM
Lulic S → Orescanin V
Luyendyk BP → Leifer I
Lykousis V, Alexandri S, Woodside J, Nomikou P, Perissoratis C, Sakellariou D, de Lange G, Dahlmann A, Casas D, Rousakis G, Ballas D, Ioakim C: New evidence of extensive active mud volcanism in the Anaximander mountains (Eastern Mediterranean): The "*ATHINA*" mud volcano 1030

Matoshko A, Bugai D, Dewiere L, Skalskyy A: Sedimentological study of the Chernobyl NPP site to schematise radionuclide migration conditions 820
Macheleidt W, Herlitzius J, Nestler W, Grischek T: A temporary sampling technique for investigating groundwater quality near the ground surface 257
Marcin D: Conditions of formation mineral waters in Sarissky Stiavnik and Radoma 646
Marinaro G, Etiope G, Gasparoni F, Calore D, Cenedese S, Furlan F, Masson M, Favali F, Blandin J: GMM—a gas monitoring module for long-term detection of methane leakage from the seafloor 1053
Masschaele B, Dierick M, Van Hoorebeke L, Cnudde V, Jacobs P: The use of neutrons and monochromatic X-rays for non-destructive testing in geological materials 486
Masson M → Marinaro G
Masson M → Garcia ML
Martín-Luis MC → Viñas R
McAlister JJ → Smith BJ
Meckenstock R → Dethlefsen F
Mellett JJ → Lee KY
Mendes Filho J → Mendonça LAR
Mendonça LAR, Frischkorn H, Santiago MMF, Mendes Filho J: Probing the relationship between surface waters and aquifers by ^{18}O measurements on the top of the Araripe Plateau/NE Brazil 295
Meritt DL → Boving TB
Mikelic L → Orescanin V
Mikulic N, Orescanin V, Legovic T, Zugaj R: Estimation of heavy metals (Cu, Zn, Pb) input into Punat Bay 62
Milkov AV → Etiope G
Mirwald PW → Franzen C
Modabberi S, Moore F: Environmental geochemistry of Zarshuran Au-As deposit, NW Iran 796
Moore F → Modabberi S
Morales JA, Borrega J, Ballesta M: Influence of harbour constructions on morphosedimentary changes in the Tinto-Odiel estuary mouth (south-west Spain): 151
Morgan K, Jankowski J: Saline groundwater seepage zones and their impact on soil and water resources in the Spicers Creek catchment, central west, New South Wales, Australia 273
Moroni B, Pitzurra L, Poli G: Microbial growth and air pollutants in the corrosion of carbonate building stone: results of laboratory and outdoor experimental tests 436
Musilli I → Celico F

Naclerio G → Celico F
Neill H → Gutiérrez M
Nestler W → Macheleidt M
Ngecu WM, Nyamai CM, Erima G: The extent and significance of mass-movements in Eastern Africa: case studies of some major landslides in Uganda and Kenya 1123
Nyamai CM → Ngecu WM
Nomikou P → Lykousis V

Ožbolt J → Bossert J
Oh S, Chung H, Lee DK: Geostatistical integration of MT and borehole data for RMR evaluation 1070
Orescanin V, Lulic S, Pavlovic G, Mikelic L: Granulometric and chemical composition of the Sava River sediments upstream and downstream of the Krsko nuclear power plant 605
Orescanin V → Mikulic N
Orndorff ZW, Daniels WL: Evaluation of acid-producing sulfidic materials in Virginia highway corridors 209

Panagopoulos G, Lambrakis N, Tsolis-Katagas P, Papoulis D: Cation exchange processes and human activities in unconfined aquifers 542
Pandit MK → Kaul BL
Papoulis D → Panagopoulos G
Patode HS → Kaplay RD
Pavlovic G, Prohic E, Tibljas D: Statistical assessment of geochemical pattern in overbank sediments of the river Sava, Croatia 132
Pavlovic G → Orescanin V
Peeters L, Haerens B, Van der Sluys J, Dassargues A: Modelling seasonal variations in nitrate and sulphate concentrations in a vulnerable alluvial aquifer 951
Perissoratis C → Lykousis V
Perrin J, Pochon A, Jeannin Py, Zwahlen F: Vulnerability assessment in karstic areas: validation by field experiments 237
Pitzurra L → Moroni B
Pochon A → Perrin J
Pohl W → Hoppert M
Poli G → Moroni B
Porowski A: Isotopic evidence of the origin of mineralized waters from the Central Carpathian Synclinorium, SE Poland 661
Prohic E → Pavlovic G

Pulido-Leboeuf P → Pulido-Bosch A
Pulido-Bosch A, Calaforra JM, Pulido-Leboeuf P, Torres-García S: Impact of quarrying gypsum in a semidesert karstic area (Sorbas, SE Spain) 583

Quesada ML → Viñas R

Raj P: Classification and interpretation of piezometer well hydrographs in parts of southeastern peninsular India 808
Rajmohan N, Elango L: Identification and evolution of hydrogeochemical processes in the groundwater environment in an area of the Palar and Cheyyar River Basins, Southern India 47
Rajmohan N → Kim K
Ramírez-Hernández J, García SG: Chemical evolution of disposal brine of the Cerro Prieto geothermal field during its transport toward surrounding soils, Mexico 721
Rengasamy P → Harris MA
Riegner D → Labare MP
Rizzo G → Ercoli L
Rodríguez R, Candela L: Changes in groundwater chemistry due to metallurgical activities in an alluvial aquifer in the Moa area (Cuba) 71
Rousakis G → Lykousis V
Rozgonyi N → Török Á

Sakellariou D → Lykousis V
Santiago MMF → Mendonça LAR
Sarı E → Algan O
Scheffzuk C, Siegesmund S, Koch A: Strain investigations on calcite marbles using neutron time-of-flight diffraction 468
Scherer GW → Gonzalez IJ
Schiavon N, Chiavari G, Fabbri D: Soiling of limestone in an urban environment characterized by heavy vehicular exhaust emissions 448
Schieweck O → Kemmling A
Schneider J → Hoppert M
Schommer N → Labare MP
Shi JC → Liu XM
Shim BO, Chung SY, Kim HJ, Sung IH: Intrinsic random function of order *k* kriging of electrical resistivity data for estimating the extent of saltwater intrusion in a coastal aquifer system 533
Shterev KD: The hydrogeothermal basin of Sofia graben (Bulgaria) 651
Siegesmund S, Viles H, Weiss T: Stone Decay Hazards 303
Siegesmund S → Weiss T
Siegesmund S → Scheffzuk C
Siegesmund S → Koch A
Silva MAM → Smith BJ
Sippel J → Weiss T
Skalskyy A → Bugai D
Smith BJ, Baptista-Neto JA, Silva MAM, McAlister JJ, Warke PA, Curran JM: The decay of coastal forts in southeast Brazil and its implications for the conservation of colonial built heritage 493
Soler V → Viñas R
Steindlberger E: Volcanic tuffs from Hesse (Germany) and their weathering behaviour 378
Subyani AM: Use of chloride-mass balance and environmental isotopes for evaluation of groundwater recharge in the alluvial aquifer, Wadi Tharad, western Saudi Arabia 741
Sung IH → Shim BO
Sung Q-C → Yang TF
Synal HA → Balderer W

Tibljas D → Pavlovic G
Topal T → Kentli B
Topal T, Acir O: Quality assessment of armourstone for a rubble mound breakwater (Sinop, Turkey) 905
Török A → Hajpál M
Török Á, Rozgonyi N: Morphology and mineralogy of weathering crusts on highly porous oolitic limestones, a case study from Budapest 333
Torres-García S → Pulido-Bosch A
Tsolis-Katagas P → Panagopoulos G
Turcotte DL → Hoke GD

Ugurlu A: Leaching characteristics of fly ash 890
Usunoff E: XXXII International Congress of IAH (International Association of Hydrogeologists) and the VI Congress of ALHSUD (Latin American Association of Groundwater Hydrology for Development), 20–25 October 2002 226

Van der Sluys J → Peeters L
Van Hoorebeke L → Masschaele B
Veehmayer MK → Dethlefsen F
Viles H → Siegesmund S
Viñas R, Eff-Darwich A, Soler V, Castro-Almazan JA, Martín-Luís MC, Coello J, Quesada ML, de la Nuez J: Comparative analysis of continuous radon sensors in underground environments 1108
Vinograd NA: Formation of mineral and thermal waters of some artesian basins in Russia 675
Voigt H-J → Wendland F
von Storch K: Reliable groundwater management: the continuous improvement method 617
Voronov AN: Radon-rich waters in Russia 630

Walia V → Yang TF
Wan L → Zhou X
Warke PA → Smith BJ
Weiss T, Siegesmund S, Kirchner D, Sippel J: Insolation weathering and hygric dilatation: two competitive factors in stone degradation 402
Weiss T → Siegesmund S
Wendland F, Kunkel R, Voigt H-J: Assessment of groundwater residence times in the pore aquifers of the River Elbe Basin 1
Wolf L → Eiswirth M
Woodside J → Lykousis V
Wu X → Wu Q
Wu Q, Ye S, Wu X, Chen P: Risk assessment of earth fractures by constructing an intrinsic vulnerability map, a specific vulnerability map, and a hazard map, using Yuci City, Shanxi, China as an example 104
Wu SJ → Zhou X

Xie M, Esaki T, Cai M: A time-space based approach for mapping rainfall-induced shallow landslide hazard 840
Xu JM → Liu XM

Yang M, Kostaschuk R, Chen Z: Historical changes in heavy metals in the Yangtze Estuary, China 857
Yang TF, G-H Yeh, Fu C-C, Wang C-G, Lan T-F, Lee HF, Chen C-H, Walia V, Sung Q-C: Composition and exhalation flux of gases from mud volcanoes in Taiwan 1003
Ye S → Wu Q
Yu XF → Liu XM

Zhang MK → Liu XM
Zhou X, Wan L, Fang B, Cao WB, Wu SJ, Hu FS, Feng WD: Soil moisture potential and water content in the unsaturated zone within the arid Ejina Oasis in Northwest China 831
Zugaj R → Mikulic N
Zwahlen F → Perrin J

Editorial

Foreword to the Special Topic IAH CMTW Congress, Terme Olimia, Podcetrtek, Slovenia: Kralj P 615
XXXII International Congress of IAH (International Association of Hydrogeologists) and the VI Congress of ALHSUD (Latin American Association of Groundwater Hydrology for Development), 20–25 October 2002: Usunoff E 226

Introduction

Geologic Emissions of Methane from lands and seafloor: mud volcanoes and observing systems: Etiope G, Favali GE 987

Preface

Stone Decay Hazards: Siegesmund S, Viles H, Weiss T 303

Original Articles

A new estimate of global methane flux from onshore and shallow submarine mud volcanoes to the atmosphere: Etiope G, Milkov AV 997
A portable remote methane detector using an InGaAsP DFB laser: Iseki T 1064
A simple accelerated rock weathering method to predict acid generation kinetics: Kargbo DM, He J 775
A temporary sampling technique for investigating groundwater quality near the ground surface: Macheleidt W, Herlitzius J, Nestler W, Grischek T 257
A time-space based approach for mapping rainfall-induced shallow landslide hazard: Xie M, Esaki T, Cai M 840
A very low frequency-electromagnetic study of the geo-environmental hazardous areas in Taiwan: Jeng Y, Lin M-J, Chen C-S 784
Alternatives to tap water: a case study of the Gaza Strip, Palestine: El-Nakhal HA 851
Analysis of the distribution of inorganic constituents in a landfill leachate-contaminated aquifer: Astrolabe Park, Sydney, Australia: Jorstad LB, Jankowski J, Acworth R 263
Application of geostatistics and GIS technique to characterize spatial variabilities of bioavailable micronutrients in paddy soils: Liu XM, Xu JM, Zhang MK, Huang JH, Shi JC, Yu XF 189
Application of the chlorine-36 method for the delineation of groundwater infiltration of large river systems: example of the Danube River in western Hungary (Szigetköz area): Balderer W, Synal HA, Deak J 755
Assessment of groundwater chemistry in a coastal region (Kunsan, Korea) having complex contaminant sources: a stoichiometric approach: Kim K, Rajmohan N, Kim HJ, Hwang G-S, Cho MJ 763
Assessment of groundwater residence times in the pore aquifers of the River Elbe Basin: Wendland F, Kunkel R, Voigt H-J 1
Balancing the contaminant input into urban water resources: Eiswirth M, Wolf L, Hötzl H 246
Biofilms and extracellular matrices on geomaterials: Kemmling A, Kämper M, Flies C, Schieweck O, Hoppert M 429
Bottled natural mineral waters in Romania: Feru A 670
Cation exchange processes and human activities in unconfined aquifers: Panagopoulos G, Lambrakis N, Tsolis-Katagas P, Pagoulis 542
Case histories of sand search in the Niger Delta: Abam TKS 165
Changes in groundwater chemistry due to metallurgical activities in an alluvial aquifer in the Moa area (Cuba): Rodríguez R, Candela L 71
Chemical composition of low temperature (<20–40 °C) thermal waters in Slovenia: Kralj P 635
Chemical evolution of disposal brine of the Cerro Prieto geothermal field during its transport toward surrounding soils, Mexico: Ramírez-Hernández J, García SG 721
Classification and interpretation of piezometer well hydrographs in parts of southeastern peninsular India: Raj P 808
Colonization strategies of lithobiontic microorganisms on carbonate rocks: Hoppert M, Flies C, Pohl W, Günzl B, Schneider J 421
Comparative analysis of continuous radon sensors in underground environments: Viñas R, Eff-Darwich A, Soler V, Castro-Almazan JA, Martíz-Luis, Coello J, Quesada ML, de la Nuez J 1108
Composition and exhalation flux of gases from mud volcanoes in Taiwan: Yang TF, Yeh G-H, Fu C-C, Wang C-C, Lan T-F, Lee H-F, Chen C-H, Walia V, Sung Q-C 1003
Conditions of formation mineral waters in Sarissky Stiavnik and Radoma: Marcin D 646
Determination of bioavailable Fe(III) content in column experiments with the reactive tracer phosphate: Dethlefsen F, Meckenstock R, Veehmayer MK, Dahmke A 896
Distribution of arsenic and other minor trace elements in the groundwater of Ischia Island (southern Italy): Daniele L 96
Effect of structure and texture on infiltration flow pattern during flood irrigation: Kim JG, Chon C-M, Lee J-S 962
Effect of swelling inhibitors on the swelling and stress relaxation of clay bearing stones: Gonzalez IJ, Scherer GW 364
Electrical resistivity surveys to delineate groundwater potential aquifers in Peddavanka watershed, Anantapur District, Andhra Pradesh, India: Gowd SS 118
Environmental and geologic application of solid-state methane sensors: Garcia ML, Masson M 1059
Environmental geochemistry of the derelict Webbs Consols mine, New South Wales, Australia: Ashley PM, Lottermoser BG, Collins AJ, Grant CD 591
Environmental geochemistry of Zarshuran Au-As deposit, NW Iran: Modabberi S, Moore F 796
Environmental impact and geochemistry of old tailing pile from the Sanggok mine creek, Republic of Korea: Lee CH, Lee HK 727
Estimation of heavy metals (Cu, Zn, Pb) input into Punat Bay: Mikulic N, Orescanin V, Legovic T, Zugaj R 62
Evaluation of acid-producing sulfidic materials in Virginia highway corridors: Orndorff ZW, Daniels WL 209
Evaluation of geodynamic activity of the Dead Sea transform fault by radon gas concentrations: Al-Taj M, Al-Bataina B, Atallah M 574
Evaluation of lead movement from the abiotic to biotic at a small-arms firing range: Labare MP, Butkus MA, Riegner D, Schommer N Atkinson J 750
Evaluation of rock excavatability and slope stability along a segment of motorway, Pozanti, Turkey: Kentli B, Topal T 83
Evolution of the modern Nile delta promontories: development of accretional features during shoreline retreat: Frihy O, Lawrence D 914
Fingerprinting sources of bacterial input into small residential watersheds: fate of fluorescent whitening agents: Boving TB, Meritt DL, Boothroyd TC 228
Finite-element modelling of the conservation effects of an artificial resin on deteriorated heterogeneous sandstone in building restoration: Bossert J, Ožbolt J, Grassegger G 323
Formation of mineral and thermal waters of some artesian basins in Russia: Vinograd NA 675

Framework for soil suitability evaluation for sewage effluent renovation: Carroll S, Goonetilleke A, Dawes L 195
Geostatistical integration of MT and borehole data for RMR evaluation: Oh S, Chung H, Lee DK 1070
Global warming and long-term climatic changes: a progress report: Khilyuk LF, Chilingar GV 970
GMM—a gas monitoring module for long-term detection of methane leakage from the seafloor: Marinaro G, Etiope G, Gasparoni F, Calore D, Cenedese S, Furlan F, Masson M, Favali F, Blandin J 1053
Granulometric and chemical composition of the Sava River sediments upstream and downstream of the Krsko nuclear power plant: Orescanin V, Lulic S, Pavlovic G, Mikelic L 605
Groundwater pollution due to industrial effluent at Tuppa, New Nanded, Maharashtra, India: Kaplay RD, Patode HS 871
Historical changes in heavy metals in the Yangtze Estuary, China: Yang M, Kostaschuk R, Chen Z 857
Hydrogeological problems for the rehabilitation and re-utilisation of the water resources of the mining area of Gavorrano (Italy): Garzonioc A, Affuso AMG 286
Identification and evolution of hydrogeochemical processes in the groundwater environment in an area of the Palar and Cheyyar River Basins, Southern India: Rajmohan N, Elango L 47
Impact of quarrying gypsum in a semidesert karstic area (Sorbas, SE Spain): Pulido-Bosch A, Calaforra JM, Pulido- Le boeuf P, Torres-García S 583
Influence of harbour constructions on morphosedimentary changes in the Tinto-Odiel estuary mouth (south-west Spain): Morales JA, Borrego J, Ballesta M 151
Insolation weathering and hygric dilatation: two competitive factors in stone degradation: Weiss T, Siegesmund S, Kirchner D, Sippel J 402
Intrinsic random function of order *k* kriging of electrical resistivity data for estimating the extent of saltwater intrusion in a coastal aquifer system: Shim BO, Chung SY, Kim HJ, Sung IH 533
Isotopic evidence of the origin of mineralized waters from the Central Carpathian Synclinorium, SE Poland: Porowski A 661
Kinetic tests comparison and interpretation for prediction of the Joutel tailings acid generation potential: Benzaazoua M, Bussiére B, Dagenais A-M, Archambault M 1086
Laboratory and case studies of thermal cycling and stored strain on the stability of selected marbles: Logan JM 456
Leaching characteristics of fly ash: Ugurlu A 890
Lead removal from wastewater using faujasite tuff: Ibrahim KM, Akashah I 865
Mechanism and mechanical model of karst collapse in an over-pumping area: Keqiang H, Bin W, Dunyun Z 1102
Metals in sediments of springs and cave streams as environmental indicators in karst areas: Gutiérrez M, Neill H, Grand RV 1079
Microbial growth and air pollutants in the corrosion of carbonate building stone: results of laboratory and outdoor experimental tests: Moroni B, Pitzurra L, Poli G 436
Mineralogical and colour changes of quartz sandstones by heat: Hajpál M, Török A 311
Modelling seasonal variations in nitrate and sulphate concentrations in a vulnerable alluvial aquifer: Peeters L, Haerens B, Van der Sluys J, Dassargues A 951
Moisture content of natural stone: static and dynamic equilibrium with atmospheric humidity: Franzen C, Mirwald PW 391
Monitoring of weathering and conservation of building materials through non-destructive X-ray computed microtomography: Cnudde V, Jacobs P 477
Morphology and mineralogy of weathering crusts on highly porous oolitic limestones, a case study from Budapest: Török Á, Rozgonyi N 333
Morphotectonic evaluation of the Delhi region in northern India, and its significance in environmental management: Kaul BL, Pandit MK 1118
Mud volcanic natural phenomena in the South Caspian Basin: geology, fluid dynamics and environmental impact: Huseynov DA, Guliyev IS 1012
Natural baseline quality of Madrid Tertiary Detrital Aquifer groundwater (Spain): a basis for aquifer management: Hernández-García ME, Custodio E 173
Natural seabed gas seeps as sources of atmospheric methane: Judd AG 988
New evidence of extensive active mud volcanism in the Anaximander mountains (Eastern Mediterranean): The "*ATHINA*" mud volcano: Lykousis V, Alexandri S, Woodside J, Nomikou P, Perissoratis C, Sakellariou D, de Lange G, Dahlmann A, Casas D, Rousakis G, Ballas, Ioakim C 1030
Petrography and decay of a marly limestone in the cloister of a medieval cathedral in Sicily: Ercoli L, Rizzo C, Algozzini G 414
Phytoplankton estimation using plant primary production rates in streams: Kim K-S, Je C-H 10
Probing the relationship between surface waters and aquifers by ^{18}O measurements on the top of the Araripe Plateau/NE Brazil: Mendonça LAR, Frischkorn H, Santiago MMF, Mendes Filho J 295
Promoted dissipation of phenanthrene and pyrene in soils by amaranth (*Amaranthus tricolor* L.): Ling W, Gao Y 553
Quality assessment of armourstone for a rubble mound breakwater (Sinop, Turkey): Topal T, Acir O 905
Radon-rich waters in Russia: Voronov AN 630
Reliable groundwater management: the continuous improvement method: von Storch K 617
Risk assessment of earth fractures by constructing an intrinsic vulnerability map, a specific vulnerability map, and a hazard map, using Yuci City, Shanxi, China as an example: Wu Q, Ye S, Wu X, Chen P 104
Saline groundwater seepage zones and their impact on soil and water resources in the Spicers Creek catchment, central west, New South Wales, Australia: Jankowski, Morgan K 273
Sedimentological study of the Chernobyl NPP site to schematise radionuclide migration conditions: Matoshko A, Bugai D, Dewiere L, Skalskyy A 820
Soil moisture potential and water content in the unsaturated zone within the arid Ejina Oasis in Northwest China: Zhou X, Wan L, Fang B, Cao WB, Wu SJ, Hu FS, Feng WD 831
Soiling of limestone in an urban environment characterized by heavy vehicular exhaust emissions: Schiavon N, Chiavari G, Fabbri D 448
Sources of nitrate contamination and age of water in large karstic springs of Florida: Katz BG 689
Spatial characterization of the location of potentially leaky wells penetrating a deep saline aquifer in a mature sedimentary basin: Gasda SE, Bachu S, Celia MA 707
Statistical assessment of geochemical pattern in overbank sediments of the river Sava, Croatia: Pavlovic G, Prohic E, Tibljas D 132
Strain investigations on calcite marbles using neutron time-of-flight diffraction: Scheffzuk C, Siegesmund S, Koch A 468

Structural-tectonic features of accommodation deposits of mineral waters of Azerbaijan and their complex development: Babayev NA, Ibragimova IS 680
Subbottom acoustic and sedimentary records of past surface water-groundwater exchange through sinkhole lakes in south Georgia, U.S.A: Hyatt JA, Gilbert R 32
The Bangudae Petroglyph in Ulsan, Korea: studies on weathering damage and risk prognosis: Fitzner B, Heinrichs K, La Bouchardiere D 504
The combined effect of moisture and temperature on the anomalous expansion behaviour of marble: Koch A, Siegesmund S 350
The decay of coastal forts in southeast Brazil and its implications for the conservation of colonial built heritage: Smith BJ, Baptista-Neto A, Silva MAM, McAlister JJ, Warke PA, Curran JM 493
The extent and significance of mass-movements in Eastern Africa: case studies of some major landslides in Uganda and Kenya: Ngecu WM, Nyamai CM, Erima G 1123
The extent of desertification on Saudi Arabia: Amin AA 22
The hydrogeothermal basin of Sofia graben (Bulgaria): Shterev KD 651
The impacts of pasture- and manure-spreading on microbial groundwater quality in carbonate aquifers: Celico F, Musilli I, Naclerio G 233
The mud volcanoes of Pakistan: Delisle G 1024
The sources of metal contents in the shelf sediments from the Marmara Sea, Turkey: Algan O, Balkıs N, Çağatay MN, Sarı E 932
The use of landscape evolution models in mining rehabilitation design: Hancock GR 561
The use of neutrons and monochromatic X-rays for non-destructive testing in geological materials: Masschaele B, Dierick M, Van Hoorebeke L, Cnudde V, Jacobs P 486
The weathering of stones due to dissolution: Hoke GD, Turcotte L 305
Therapeutic waters in the Polish geological and mining law: Dowgiałło J 643
Trace elements in medium-temperature (40–80 °C) thermal waters from the Mura basin (North-Eastern Slovenia): Kralj P 622
Transient discharges from marine hydrocarbon seeps: spatial and temporal variability: Leifer I Boles JR, Luyendyk BP, Clark JF 1038
Transport of dissolved methoxy-nonafluorobutane through a saturated column: Lee KY, Lee J-Y, Mellett JJ 883
Treatment of a potential soil capping for open-cut mines (Part 1): Influence of prior management on responses to a phyto-organic amendment: Harris MA, Rengasamy P 15
Use of chloride-mass balance and environmental isotopes for evaluation of groundwater recharge in the alluvial aquifer, Wadi Tharad, western Saudi Arabia: Subyani AM 741
Volcanic tuffs from Hesse (Germany) and their weathering behaviour: Steindlberger E 378
Vulnerability assessment in karstic areas: validation by field experiments: Perrin J, Pochon A, Jeannin P-Y, Zwahlen F 237
Vulnerability mapping of the Turonian limestone aquifer in the Phosphates Plateau (Morocco): Ettazarini S, El Mahmouhi N 113
Web-based application for estimating wate quality impacts due to environmental dreding: Je C-H, Kim K-S 217

Views & News

144, 980

Book Reviews

145, 527, 683, 981, 1134

Events

147, 529, 685, 983, 1136